

Revision Date: 06/27/2016

SAFETY DATA SHEET

1. Identification

Material name: ONESTEP CLEAN & PRIME 6/CASE

Material: 6637837 213

Recommended use and restriction on use

Recommended use: Cleaning agent Restrictions on use: Not known.

Manufacturer/Importer/Supplier/Distributor Information

Tremco CPG Inc. - U.S. Roofing

3735 Green Road Beachwood OH 44122

US

Contact person:

Telephone:

Emergency telephone number:

EH&S Department

216-292-5000

1-800-424-9300 (US); 1-613-996-6666 (Canada)

2. Hazard(s) identification

Hazard Classification

Physical Hazards

Flammable aerosol

Category 1

Health Hazards

Serious Eye Damage/Eye Irritation

Germ Cell Mutagenicity

Category 2A Category 1B

Carcinogenicity

Category 1A

Unknown toxicity - Health

Acute toxicity, oral

24.49 %

Acute toxicity, dermal

25 %

Acute toxicity, inhalation, vapor

89.5 %

Acute toxicity, inhalation, dust or mist

100 %

Environmental Hazards

Acute hazards to the aquatic

Category 3

environment

Unknown toxicity - Environment

Acute hazards to the aquatic

26.49 %

environment

Chronic hazards to the aquatic

100 %

environment

Label Elements

Hazard Symbol:



Revision Date: 06/27/2016



Signal Word:

Danger

Hazard Statement:

Extremely flammable aerosol. Causes serious eye irritation. May cause genetic defects. May cause cancer.

Harmful to aquatic life.

Pressurized container: May burst if heated.

Precautionary Statement: Prevention:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective

equipment as required. Avoid release to the environment.

Response:

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If exposed or concerned: Get medical advice/attention.

Storage:

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122

°F. Store locked up.

Disposal:

Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Other hazards which do not result in GHS classification:

None.

3. Composition/information on ingredients

Mixtures

Chemical Identity	CAS number	Content in percent (%)*	
Methyl acetate	79-20-9	40 - 70%	
Liquefied petroleum gases	68476-86-8	15 - 40%	
Methyl ethyl ketone	78-93-3	10 - 30%	
Butyl acetate	123-86-4	10 - 30%	
Aromatic petroleum distillates	64742-95-6	1 - 5%	
Cumene	98-82-8	0.5 - 1.5%	
Ethylbenzene	100-41-4	0.5 - 1.5%	
1,2,4-Trimethylbenzene	95-63-6	0.5 - 1.5%	

2/19



Revision Date: 06/27/2016

Methanol	67-56-1	0.5 - 1.5%	
Chlorobenzene	108-90-7	0.5 - 1.5%	
m-Xylene	108-38-3	0.5 - 1.5%	
ortho-Xylene	95-47-6	0.5 - 1.5%	

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Ingestion:

Call a POISON CENTER/doctor/.../if you feel unwell. Rinse mouth.

Inhalation:

Move to fresh air.

Skin Contact:

Wash skin thoroughly with soap and water. If skin irritation occurs: Get

medical advice/attention.

Eye contact:

Immediately flush with plenty of water for at least 15 minutes. If easy to do,

remove contact lenses. Get medical attention.

Most important symptoms/effects, acute and delayed

Symptoms:

Respiratory tract irritation.

Indication of immediate medical attention and special treatment needed

Treatment:

Symptoms may be delayed.

5. Fire-fighting measures

General Fire Hazards:

Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without

risk.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical:

Vapors may travel considerable distance to a source of ignition and flash

back.

Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

No data available.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

6. Accidental release measures



Revision Date: 06/27/2016

Personal precautions, protective equipment and emergency procedures: Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind.

Methods and material for containment and cleaning up: Stop the flow of material, if this is without risk. Absorb with sand or other inert absorbent.

Environmental Precautions:

Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid release to the environment.

7. Handling and storage

Precautions for safe handling:

Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Avoid contact with eyes. Wash hands thoroughly after handling. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities:

Store locked up. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	type	Exposure Limit Values		Source
Methyl acetate	TWA	200 ppm		US. ACGIH Threshold Limit Values (2011)
	STEL	250 ppm		US. ACGIH Threshold Limit Values (2011)
	PEL	200 ppm	610 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Methyl ethyl ketone	TWA	200 ppm		US. ACGIH Threshold Limit Values (2011)
	STEL	300 ppm		US. ACGIH Threshold Limit Values (2011)
	PEL	200 ppm	590 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Butyl acetate	TWA	150 ppm		US. ACGIH Threshold Limit Values (2011)
	STEL	200 ppm		US. ACGIH Threshold Limit Values (2011)
	PEL	150 ppm	710 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)



Version: 1.0 Revision Date: 06/27/2016

1,2,4-Trimethylbenzene	TWA	25 ppm		US. ACGIH Threshold Limit Values (2011)
Methanol	TWA	200 ppm		US. ACGIH Threshold Limit Values (2011)
	STEL	250 ppm		US. ACGIH Threshold Limit Values (2011)
	PEL	200 ppm	260 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Cumene	TWA	50 ppm		US. ACGIH Threshold Limit Values (2011)
	PEL	50 ppm	245 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Chlorobenzene	TWA	10 ppm		US. ACGIH Threshold Limit Values (2011)
	PEL	75 ppm	350 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
m-Xylene	TWA	100 ppm		US. ACGIH Threshold Limit Values (02 2012)
	STEL	150 ppm		US. ACGIH Threshold Limit Values (02 2012)
	PEL	100 ppm	435 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
ortho-Xylene	STEL	150 ppm		US. ACGIH Threshold Limit Values (03 2014)
	TWA	100 ppm		US. ACGIH Threshold Limit Values (03 2014)
	PEL	100 ppm	435 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Ethylbenzene	TWA	20 ppm		US. ACGIH Threshold Limit Values (2011)
	PEL	100 ppm	435 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)

Chemical name	type	Exposure Limit Values	Source
Methyl acetate	TWA	200 ppm	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
	STEL	250 ppm	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Methyl acetate	TWAEV	200 ppm	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
	STEL	250 ppm	Canada. Ontario OELs. (Control of





Revision Date: 06/27/2016

				Exposure to Biological or Chemical Agents) (11 2010)
Methyl acetate	TWA	200 ppm	606 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)
	STEL	250 ppm	757 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)
Methyl ethyl ketone	TWA	50 ppm		Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
	STEL	100 ppm		Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Methyl ethyl ketone	TWAEV	200 ppm		Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
	STEL	300 ppm		Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Methyl ethyl ketone	TWA	50 ppm	150 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)
	STEL	100 ppm	300 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)
Butyl acetate	TWA	20 ppm		Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Butyl acetate	STEL	200 ppm		Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
	TWAEV	150 ppm		Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Butyl acetate	STEL	200 ppm	950 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)
	TWA	150 ppm	713 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)





Revision Date: 06/27/2016

1,2,4-Trimethylbenzene	TWA	25 ppm		Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
1,2,4-Trimethylbenzene	TWAEV	25 ppm		Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
1,2,4-Trimethylbenzene	TWA	25 ppm	123 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)
Cumene	STEL	75 ppm		Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
	TWA	25 ppm		Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Cumene	TWAEV	50 ppm		Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Cumene	TWA	50 ppm	246 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)
Ethylbenzene	TWA	20 ppm		Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (09 2011)
Ethylbenzene	STEL	125 ppm		Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
	TWAEV	100 ppm		Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Ethylbenzene	TWA	100 ppm	434 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)
	STEL	125 ppm	543 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)



Revision Date: 06/27/2016

Biological Limit Values

Chemical Identity	Exposure Limit Values	Source
Methyl ethyl ketone (MEK: Sampling time: End of shift.)	2 mg/l (Urine)	ACGIH BEI (03 2013)
Methanol (methanol: Sampling time: End of shift.)	15 mg/l (Urine)	ACGIH BEI (03 2013)
Chlorobenzene (4- Chlorocatechol, with hydrolysis: Sampling time: End of shift at end of work week.)	100 mg/g (Creatinine in urine)	ACGIH BEI (03 2013)
Chlorobenzene (p- Chlorophenol, with hydrolysis: Sampling time: End of shift at end of work week.)	20 mg/g (Creatinine in urine)	ACGIH BEI (03 2013)
m-Xylene (Methylhippuric acids: Sampling time: End of shift.)	1.5 g/g (Creatinine in urine)	ACGIH BEI (03 2013)
ortho-Xylene (Methylhippuric acids: Sampling time: End of shift.)	1.5 g/g (Creatinine in urine)	ACGIH BEI (03 2013)
Ethylbenzene (Sum of mandelic acid and phenylglyoxylic acid: Sampling time: End of shift.)	0.15 g/g (Creatinine in urine)	ACGIH BEI (02 2014)

Appropriate Engineering Controls

No data available.

Individual protection measures, such as personal protective equipment

General information: Provide easy access to water supply and eye wash facilities. Good general

ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable

level.

Eye/face protection: Wear safety glasses with side shields (or goggles).

Skin Protection

Hand Protection: No data available.

Other: Wear suitable protective clothing.



Revision Date: 06/27/2016

Respiratory Protection:

In case of inadequate ventilation use suitable respirator. Seek advice from

local supervisor.

Hygiene measures:

Observe good industrial hygiene practices. Wash hands before breaks and

immediately after handling the product. Avoid contact with eyes. When

using do not smoke.

9. Physical and chemical properties

Appearance

Physical state:

Aerosols

Form:

Aerosols

Color:

No data available.

Odor:

Strong petroleum/solvent

Odor threshold:

No data available.

pH:

No data available.

Melting point/freezing point: Initial boiling point and boiling range: No data available.
No data available.

Flash Point:

-56 °C -69 °F

Evaporation rate:

Slower than Ether

Flammability (solid, gas):

Yes

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

No data available.

Flammability limit - lower (%):

No data available.

Explosive limit - upper (%):

No data available.

Explosive limit - lower (%):

No data available.

Vapor pressure:

No data available.

Vapor density:

Vapors are heavier than air and may travel along the floor and

in the bottom of containers.

Relative density:

0.787

Solubility(ies)

Solubility in water:

Practically Insoluble

Solubility (other):

No data available.

Partition coefficient (n-octanol/water):

No data available. No data available.

Auto-ignition temperature:

No data available.

Decomposition temperature:

No data available.

10. Stability and reactivity

Reactivity:

Viscosity:

No data available.

Chemical Stability:

Material is stable under normal conditions.

Possibility of hazardous

reactions:

No data available.

9/19



Revision Date: 06/27/2016

Conditions to avoid: Avoid heat or contamination.

Incompatible Materials: Avoid contact with oxidizing agents (e.g. nitric acid, peroxides and

chromates).

Hazardous Decomposition

Products:

Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapors.

11. Toxicological information

Information on likely routes of exposure

Ingestion: May be ingested by accident. Ingestion may cause irritation and malaise.

In high concentrations, vapors, fumes or mists may irritate nose, throat and

mucus membranes.

Skin Contact: May be harmful in contact with skin. Causes mild skin irritation.

Eye contact: Causes serious eye irritation.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: ATEmix: 15,509.75 mg/kg

Dermal

Product: ATEmix: 2,884.62 mg/kg

Inhalation

Product: No data available.

Repeated dose toxicity

Product: No data available.

Skin Corrosion/Irritation

Product: No data available.

Specified substance(s):

Methyl acetate in vivo (Rabbit): Experimental result, Key study

Methyl ethyl ketone in vivo (Rabbit): Read-across from supporting substance (structural

analogue or surrogate), Key study

Butyl acetate in vivo (Rabbit): Experimental result, Key study



Revision Date: 06/27/2016

Aromatic petroleum

distillates

in vivo (Rabbit): Experimental result, Key study

Cumene

in vivo (Rabbit): Experimental result, Key study

1,2,4-Trimethylbenzene

in vivo (Rabbit): Read-across from supporting substance (structural

analogue or surrogate), Key study

Methanol

in vivo (Rabbit): Experimental result, Key study

m-Xylene

in vivo (Rabbit): Experimental result, Weight of Evidence study

ortho-Xylene

in vivo (Rabbit): Experimental result, Supporting study

Serious Eye Damage/Eye Irritation

Product:

No data available.

Specified substance(s):

Methyl acetate

Irritating

in vivo (Rabbit): Irritating

Methyl ethyl ketone

Irritating

in vivo (Rabbit, 24 hrs): Category 2

Butyl acetate

in vivo (Rabbit, 24 - 72 hrs): Not irritating

Aromatic petroleum

distillates

in vivo (Rabbit, 24 - 72 hrs): Not irritating

Cumene

in vivo (Rabbit, 24 hrs): Not irritating

Ethylbenzene

in vivo (Rabbit, 7 d): Slightly irritating

1,2,4-Trimethylbenzene

in vivo (Rabbit, 30 min): Not irritating

Methanol

in vivo (Rabbit, 24 hrs): Not irritating

Chlorobenzene

in vivo (Rabbit, 24 - 72 hrs): Not irritating

m-Xylene

in vivo (Rabbit, 24 hrs): Moderately irritating

ortho-Xylene

in vivo (Rabbit, 24 hrs): Moderately irritating

Respiratory or Skin Sensitization

Product:

No data available.

Carcinogenicity

Product:

No data available.



Revision Date: 06/27/2016

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

Cumene

Overall evaluation: Possibly carcinogenic to humans.

Ethylbenzene

Overall evaluation: Possibly carcinogenic to humans.

US. National Toxicology Program (NTP) Report on Carcinogens:

Cumene

Reasonably Anticipated to be a Human Carcinogen.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product:

No data available.

In vivo

Product:

No data available.

Reproductive toxicity

Product:

No data available.

Specific Target Organ Toxicity - Single Exposure

Product:

No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product:

No data available.

Aspiration Hazard

Product:

No data available.

Other effects:

No data available.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product:

No data available.

Specified substance(s):

Methyl acetate

LC 50 (Fathead minnow (Pimephales promelas), 96 h): 295 - 348 mg/l

Mortality



Revision Date: 06/27/2016

Methyl ethyl ketone LC 50 (Fathead minnow (Pimephales promelas), 96 h): 3,130 - 3,320 mg/l

Mortality

Butyl acetate LC 50 (Zebra danio (Danio rerio), 96 h): 62 mg/l Mortality

Cumene LC 50 (Fathead minnow (Pimephales promelas), 96 h): 6.04 - 6.61 mg/l

Mortality

Ethylbenzene LC 50 (Fathead minnow (Pimephales promelas), 96 h): 9.1 - 15.6 mg/l

Mortality

1,2,4-Trimethylbenzene LC 50 (Fathead minnow (Pimephales promelas), 96 h): 7.19 - 8.28 mg/l

Mortality

Methanol LC 50 (Fathead minnow (Pimephales promelas), 96 h): 28,200 mg/l Mortality

Chlorobenzene LC 50 (Bluegill (Lepomis macrochirus), 8 h): 6 mg/l Mortality

LC 50 (Rainbow trout, donaldson trout (Oncorhynchus mykiss), 16 d): < 0.09

mg/l Mortality

LC 50 (Bluegill (Lepomis macrochirus), 16 h): 6 mg/l Mortality LC 50 (Bluegill (Lepomis macrochirus), 24 h): 17 mg/l Mortality

LC 50 (Bluegill (Lepomis macrochirus), 24 h): 18.88 - 30.51 mg/l Mortality

m-Xylene LC 50 (Fathead minnow (Pimephales promelas), 96 h): 14.31 - 18.01 mg/l

Mortality

ortho-Xylene LC 50 (Fathead minnow (Pimephales promelas), 96 h): 11.6 - 22.4 mg/l

Mortality

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

Methyl ethyl ketone LC 50 (Water flea (Daphnia magna), 24 h): 8,890 mg/l Mortality

LC 50 (Water flea (Daphnia magna), 48 h): > 520 mg/l Mortality

LC 50 (Opossum shrimp (Americamysis bahia), 96 h): > 402 mg/l Mortality

LC 50 (Water flea (Daphnia magna), 24 h): > 520 mg/l Mortality

Butyl acetate LC 50 (Water flea (Daphnia magna), 24 h): 205 mg/l Mortality

Cumene LC 50 (Water flea (Daphnia magna), 24 h): 95 mg/l Mortality

Ethylbenzene LC 50 (Water flea (Daphnia magna), 24 h): 190 mg/l Mortality

1,2,4-Trimethylbenzene LC 50 (Scud (Elasmopus pectinicrus), 24 h): 4.89 - 5.62 mg/l Mortality

Methanol LC 50 (Water flea (Daphnia magna), 24 h): 3,616 - 6,414 mg/l Mortality

EC 50 (Water flea (Daphnia magna), 48 h): > 10,000 mg/l Intoxication EC 50 (Water flea (Daphnia magna), 24 h): > 10,000 mg/l Intoxication LC 50 (Water flea (Daphnia magna), 96 h): > 100 mg/l Mortality

LC 50 (Oligochaete, worm (Lumbriculus variegatus), 96 h): > 100 mg/l

Mortality

Chlorobenzene LC 50 (Water flea (Daphnia magna), 24 h): 310 mg/l Mortality

m-Xylene EC 50 (Water flea (Daphnia magna), 24 h): 4.7 mg/l Intoxication



Revision Date: 06/27/2016

ortho-Xylene

LC 50 (Water flea (Daphnia magna), 48 h): 11.2 - 20.3 mg/l Mortality EC 50 (Water flea (Daphnia magna), 48 h): < 1.39 mg/l Intoxication LC 50 (Snail (Aplexa hypnorum), 96 h): > 22.4 mg/l Mortality

Chronic hazards to the aquatic environment:

Fish

Product:

No data available.

Specified substance(s):

Aromatic petroleum

distillates

EC 50 (Daphnia magna, 21 d): 10 mg/l Other, Key study

Cumene

NOAEL (Danio rerio; Pimephales promelas, 28 d): 0.38 mg/l QSAR QSAR,

Key study

Methanol

NOAEL (Oryzias latipes, 200 h): 15,800 mg/l Experimental result,

Supporting study

NOAEL (Oryzias latipes, 200 h): 158,000 mg/l Experimental result,

Supporting study

EC 50 (Oryzias latipes, 200 h): 9,164 mg/l Experimental result, Supporting

EC 50 (Oryzias latipes, 200 h): 10,270 mg/l Experimental result, Supporting

study

LOAEL (Oryzias latipes, 200 h): 7,900 mg/l Experimental result, Supporting

study

Chlorobenzene

LC 50 (Various, 4 d): 0.11 mg/l Experimental result, Not specified LC 50 (Various, 4 d): 0.88 mg/l Experimental result, Not specified

LOAEL (21 d): 0.63 mg/l Experimental result, Key study

LC 50 (Poecilia reticulata, 14 d): 19.1 mg/l Experimental result, Supporting

LC 50 (Various, 4 d): 0.05 mg/l Experimental result, Not specified

m-Xylene

NOAEL (Oncorhynchus mykiss, 56 d): > 1.3 mg/l Read-across based on

grouping of substances (category approach), Key study

ortho-Xylene

NOAEL (Oncorhynchus mykiss, 56 d): > 1.3 mg/l Read-across based on

grouping of substances (category approach), Key study

Aquatic Invertebrates

Product:

No data available.

Toxicity to Aquatic Plants

Product:

No data available

Persistence and Degradability

Biodegradation

Product:

No data available.

BOD/COD Ratio

Product:

No data available.



Revision Date: 06/27/2016

Bioaccumulative Potential

Bioconcentration Factor (BCF)

Product: No data available.

Specified substance(s):

Methanol Green algae (Chlorella fusca vacuolata), Bioconcentration Factor (BCF):

28,400 (Static)

Chlorobenzene Green algae (Selenastrum capricornutum), Bioconcentration Factor (BCF):

2,172 (Static)

Western mosquitofish (Gambusia affinis), Bioconcentration Factor (BCF):

645 (Static)

Water flea (Daphnia magna), Bioconcentration Factor (BCF): 2,789 (Static) Southern house mosquito (Culex quinquefasciatus), Bioconcentration Factor

(BCF): 1,292 (Static)

lde, silver or golden orfe (Leuciscus idus), Bioconcentration Factor (BCF): 75

(Not reported)

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Specified substance(s):

Methyl acetate Log Kow: 0.18

Methyl ethyl ketone Log Kow: 0.29

Butyl acetate Log Kow: 1.78

Cumene Log Kow: 3.66

Ethylbenzene Log Kow: 3.15

Methanol Log Kow: -0.77

Chlorobenzene Log Kow: 2.89

m-Xylene Log Kow: 3.20

ortho-Xylene Log Kow: 3.12

Mobility in Soil: No data available.

Other Adverse Effects: Harmful to aquatic organisms.

13. Disposal considerations

Disposal instructions: Dispose of waste at an appropriate treatment and disposal facility in

accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Contaminated Packaging: No data available.

14. Transport information



Revision Date: 06/27/2016

TDG:

UN1950, AEROSOLS, 2.1

CFR / DOT:

UN1950, Aerosols, 2.1

IMDG:

UN1950, AEROSOLS, 2.1

Further Information:

The above shipping description may not be accurate for all container sizes and all modes of transportation. Please refer to Bill of Lading.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

Chemical Identity	Reportable quantity
Methyl acetate	100 lbs.
Methyl ethyl ketone	5000 lbs.
Butyl acetate	5000 lbs.
Methanol	5000 lbs.
Cumene	5000 lbs.
Chlorobenzene	100 lbs.
m-Xylene	1000 lbs.
ortho-Xylene	1000 lbs.
Ethylbenzene	1000 lbs.
p-Xylene	100 lbs.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Fire Hazard Immediate (Acute) Health Hazards Delayed (Chronic) Health Hazard

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.



Revision Date: 06/27/2016

SARA 304 Emergency Release Notification

Chemical Identity	Reportable quantity		
Methyl acetate	100 lbs.		
Methyl ethyl ketone	5000 lbs.		
Butyl acetate	5000 lbs.		
Methanol	5000 lbs.		
Cumene	5000 lbs.		
Chlorobenzene	100 lbs.		
m-Xylene	1000 lbs.		
ortho-Xylene	1000 lbs.		
Ethylbenzene	1000 lbs.		
p-Xylene	100 lbs.		

SARA 311/312 Hazardous Chemical

Chemical Identity	Threshold Planning Quantity
Methyl acetate	500 lbs
Liquefied petroleum gases	500 lbs
Methyl ethyl ketone	500 lbs
Butyl acetate	500 lbs
Aromatic petroleum	500 lbs
distillates	
Cumene	500 lbs
Ethylbenzene	500 lbs
1,2,4-Trimethylbenzene	500 lbs
Methanol	500 lbs
Chlorobenzene	500 lbs
m-Xylene	500 lbs
ortho-Xylene	500 lbs

SARA 313 (TRI Reporting)

Chemical Identity

Ethylbenzene

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

Methyl acetate Methyl ethyl ketone Butyl acetate Ethylbenzene



Revision Date: 06/27/2016

US. Massachusetts RTK - Substance List

Chemical Identity

Methyl acetate Methyl ethyl ketone Butyl acetate

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

Methyl acetate Methyl ethyl ketone Butyl acetate

US. Rhode Island RTK

Chemical Identity

Methyl ethyl ketone Butyl acetate

Other Regulations:

Regulatory VOC (less water

642 g/l

and exempt solvent): VOC Method 310:

46.50 %

Inventory Status:

Australia AICS:

All components in this product are listed on or

exempt from the Inventory.

Canada DSL Inventory List:

All components in this product are listed on or

exempt from the Inventory.

EINECS, ELINCS or NLP:

One or more components in this product are not listed on or exempt from the Inventory.

Japan (ENCS) List:

One or more components in this product are not listed on or exempt from the Inventory.

China Inv. Existing Chemical Substances:

All components in this product are listed on or

exempt from the Inventory.

Korea Existing Chemicals Inv. (KECI):

All components in this product are listed on or

exempt from the Inventory.

Canada NDSL Inventory:

One or more components in this product are not listed on or exempt from the Inventory.

Philippines PICCS:

All components in this product are listed on or

exempt from the Inventory.

US TSCA Inventory:

All components in this product are listed on or

exempt from the Inventory.



Revision Date: 06/27/2016

New Zealand Inventory of Chemicals: All components in this product are listed on or

exempt from the Inventory.

Japan ISHL Listing: One or more components in this product are

not listed on or exempt from the Inventory.

Japan Pharmacopoeia Listing:

One or more components in this product are

not listed on or exempt from the Inventory.

16.Other information, including date of preparation or last revision

Revision Date: 06/27/2016

Version #: 1.0

Further Information: No data available.

Disclaimer: For Industrial Use Only. Keep out of Reach of Children. The hazard

information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including

the safe use of the product under every foreseeable condition.

	Ŧ		